Draft Standard for Information Technology— Portable Operating System Interface (POSIX®)

Prepared by the Austin Group

(http://www.opengroup.org/austin/)

Copyright © 2001 The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA.

Copyright © 2001 The Open Group
Apex Plaza, Forbury Road, Reading, Berkshire RG11AX, UK.

All rights reserved.

Except as permitted below, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owners. This is an unapproved draft, subject to change. Permission is hereby granted for Austin Group participants to reproduce this document for purposes of IEEE, the Open Group, and JTC1 standardization activities. Other entities seeking permission to reproduce this document for standardization purposes or other activities must contact the copyright owners for an appropriate license. Use of information contained within this unapproved draft is at your own risk.

Portions of this document are derived with permission from copyrighted material owned by Hewlett-Packard Company, International Business Machines Corporation, Novell Inc., The Open Software Foundation, and Sun Microsystems, Inc.

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

Index

_CS_PATH 670
_CS_XBS5_ILP32_OFF32_CFLAGS....670
_CS_XBS5_ILP32_OFF32_LDFLAGS....670
_CS_XBS5_ILP32_OFF32_LIBS....670
_CS_XBS5_ILP32_OFF32_LINTFLAGS....670
_CS_XBS5_ILP32_OFFBIG_CFLAGS....670
_CS_XBS5_ILP32_OFFBIG_LDFLAGS....670
_CS_XBS5_ILP32_OFFBIG_LIBS....670
_CS_XBS5_ILP32_OFFBIG_LINTFLAGS....670
_CS_XBS5_LP64_OFF64_CFLAGS....670
_CS_XBS5_LP64_OFF64_LDFLAGS....670
_CS_XBS5_LP64_OFF64_LIBS....670
_CS_XBS5_LP64_OFF64_LINTFLAGS....670
_CS_XBS5_LPBIG_OFFBIG_CFLAGS....670
_CS_XBS5_LPBIG_OFFBIG_LDFLAGS....670
_CS_XBS5_LPBIG_OFFBIG_LIBS....670
_CS_XBS5_LPBIG_OFFBIG_LINTFLAGS....670
_exit....535
_Exit....764
_exit....764, 2091
_Exit( )....**535**
FILE....581
_IOFBF....1779, 1821
_IOLBF....833, 1821
_IONBF....1779, 1821
LINE....581
_longjmp( )....**536**
_LVL....467
_MAX....466
_PC constants
used in pathconf....856
_PC_ALLOC_SIZE_MIN....856
_PC_ASYNC_IO....856
_PC_CHOWN_RESTRICTED....856
_PC_FILESIZEBITS....856
_PC_LINK_MAX....856
_PC_MAX_CANON....856
_PC_MAX_INPUT....856
_PC_NAME_MAX....856
_PC_NO_TRUNC....856
_PC_PATH_MAX....856
_PC_PIPE_BUF....856
_PC_PRIO_IO....856
_PC_REC_INCR_XFER_SIZE....856
_PC_REC_MAX_XFER_SIZE....856
_PC_REC_MIN_XFER_SIZE....856
_PC_REC_XFER_ALIGN....856
_PC_SYMLINK_MAX....856
_PC_SYNC_IO....856
_PC_VDISABLE....856
_POSIX2 constants
in sysconf....1969
_POSIX2_CHAR_TERM....1971
_POSIX2_C_BIND....1971
_POSIX2_C_DEV....1971
_POSIX2_C_VERSION....1971
_POSIX2_FORT_DEV....1971
_POSIX2_FORT_RUN....1971
_POSIX2_LOCALEDEF....1971
_POSIX2_PBS....1971
_POSIX2_PBS_ACCOUNTING....1971
_POSIX2_PBS_LOCATE....1971
_POSIX2_PBS_MESSAGE....1971
_POSIX2_PBS_TRACK....1971
_POSIX2_SW_DEV....1971
_POSIX2_UPE....1971
_POSIX2_VERSION....1971
POSIX....465
_POSIX_ADVISORY_INFO....1970
_POSIX_ASYNCHRONOUS_IO....1970
_POSIX_ASYNC_IO....856
_POSIX_BARRIERS....1970
_POSIX_BASE....1970
_POSIX_CHOWN_RESTRICTED....646, 856, 858
_POSIX_CLOCK_SELECTION....1970
_POSIX_CPUTIME....1970
_POSIX_C_LANG_SUPPORT....1970
_POSIX_C_LANG_SUPPORT_R....1970
_POSIX_C_SOURCE....464
_POSIX_DEVICE_IO....1970
_POSIX_DEVICE_SPECIFIC....1970
_POSIX_DEVICE_SPECIFIC_R....1970
_POSIX_FD_MGMT....1970
_POSIX_FIFO....1970
_POSIX_FILE_ATTRIBUTES....1970
_POSIX_FILE_LOCKING....1970
_POSIX_FILE_SYSTEM....1970
_POSIX_FSYNC....1970
_POSIX_JOB_CONTROL....1970
_POSIX_MAPPED_FILES....1970
_POSIX_MEMLOCK....1970
_POSIX_MEMLOCK_RANGE....1970

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

_POSIX_MEMORY_PROTECTION 1970
_POSIX_MESSAGE_PASSING 1970
_POSIX_MONOTONIC_CLOCK 1970
_POSIX_NETWORKING 1970
_POSIX_NO_TRUNC 856
_POSIX_OPEN_MAX 1017
_POSIX_PIPE 1970
_POSIX_PRIORITIZED_IO 492, 1970
_POSIX_PRIORITY_SCHEDULING 492, 1970
_POSIX_PRIO_IO 856
_POSIX_READER_WRITER_LOCKS 1970
_POSIX_REALTIME_SIGNALS 1970
_POSIX_REGEXP 1970
_POSIX_SAVED_IDS 1970
_POSIX_SEMAPHORES 1970
_POSIX_SHARED_MEMORY_OBJECTS 1970
_POSIX_SHELL 1970
_POSIX_SIGNALS 1970
_POSIX_SINGLE_PROCESS 1970
_POSIX_SPAWN 1970
_POSIX_SPIN_LOCKS 1970
_POSIX_SPORADIC_SERVER 1970
_POSIX_SYNCHRONIZED_IO 1970
_POSIX_SYNC_IO 856
_POSIX_SYSTEM_DATABASE 1970
_POSIX_SYSTEM_DATABASE_R 1970
_POSIX_THREADS 700, 1971, 2031
_POSIX_THREAD_ATTR_STACKADDR 1971
_POSIX_THREAD_ATTR_STACKSIZE 1971
_POSIX_THREAD_CPUTIME 1971
_POSIX_THREAD_PRIORITY_SCHEDULING 1971
_POSIX_THREAD_PRIO_INHERIT 1971
_POSIX_THREAD_PRIO_PROTECT 1971
_POSIX_THREAD_PROCESS_SHARED 1583 1971
_POSIX_THREAD_SAFE_FUNCTIONS ..... 700 ..... 1971, 2031
_POSIX_THREAD_SPORADIC_SERVER 1971
_POSIX_TIMEOUTS 1971
_POSIX_TIMERS 1971
_POSIX_TRACE 1971
_POSIX_TRACE_EVENT_FILTER 1971
_POSIX_TRACE_EVENT_NAME_MAX 1426 1428
_POSIX_TRACE_INHERIT 1971
_POSIX_TRACE_LOG 1971
_POSIX_TRACE_SYS_MAX 1423
_POSIX_TRACE_USER_EVENT_MAX 1428
_POSIX_TYPED_MEMORY_OBJECTS 1971
_POSIX_USER_GROUPS 1971
_POSIX_USER_GROUPS_R 1971
_POSIX_V6_ILP32_OFF32 1971
_POSIX_V6_ILP32_OFFBIG 1971
_POSIX_V6_LP64_OFF64 1971
_POSIX_V6_LPBIG_OFFBIG 1971
_POSIX_VDISABLE 856
_POSIX_VERSION 1971, 2056
_PROCESS 467
_PTHREAD_THREADS_MAX 1557
_REGEX_VERSION 1971
_SC constants
in sysconf 1969
_SC_2_CHAR_TERM 1971
_SC_2_C_BIND 1971
_SC_2_C_DEV 1971
_SC_2_C_VERSION 1971
_SC_2_FORT_DEV 1971
_SC_2_FORT_RUN 1971
_SC_2_LOCALEDEF 1971
_SC_2_PBS_ACCOUNTING 1971
_SC_2_PBS_LOCATE 1971
_SC_2_PBS_MESSAGE 1971
_SC_2_PBS_TRACK 1971
_SC_2_SW_DEV 1971
_SC_2_UPE 1971
_SC_2_VERSION 1342, 1971
_SC_ADVISORY_INFO 1970
_SC_AIO_LISTIO_MAX 1969
_SC_AIO_MAX 1969
_SC_AIO_PRIO_DELTA_MAX 1969
_SC_ARG_MAX 1969
_SC_ASYNCHRONOUS_IO 1970
_SC_ATEXIT_MAX 1969
_SC_BARRIERS 1970
_SC_BASE 1970
_SC_BC_BASE_MAX 1969
_SC_BC_DIM_MAX 1969
_SC_BC_SCALE_MAX 1969
_SC_BC_STRING_MAX 1969
_SC_CHILD_MAX 1969
_SC_CLK_TCK 1969, 2027
_SC_CLOCK_SELECTION 1970
_SC_COLL_WEIGHTS_MAX 1969
_SC_CPUTIME 1970
_SC_C_LANG_SUPPORT 1970
_SC_C_LANG_SUPPORT_R 1970
_SC_DELAYTIMER_MAX 1969
_SC_DEVICE_IO 1970
_SC_DEVICE_SPECIFIC 1970
_SC_DEVICE_SPECIFIC_R 1970
_SC_EXPR_NEST_MAX 1969

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

_SC_FD_MGMT 1970
_SC_FIFO 1970
_SC_FILE_ATTRIBUTES....1970
_SC_FILE_LOCKING....1970
_SC_FILE_SYSTEM....1970
_SC_FSYNC....1970
_SC_GETGR_R_SIZE_MAX....964, 967, 1969
_SC_GETPW_R_SIZE_MAX....1009, 1012, 1969
_SC_IOV_MAX....1969
_SC_JOB_CONTROL....1970
_SC_LINE_MAX....1969
_SC_LOGIN_NAME_MAX....1969
_SC_MEMLOCK....1970
_SC_MEMLOCK_RANGE....1970
_SC_MEMORY_PROTECTION....1970
_SC_MESSAGE_PASSING....1970
_SC_MONOTONIC_CLOCK....1970
_SC_MQ_OPEN_MAX....1969
_SC_MQ_PRIO_MAX....1969
_SC_NETWORKING....1970
_SC_NGROUPS_MAX....1969
_SC_OPEN_MAX....1969
_SC_PAGESIZE....1253, 1348, 1971
_SC_PAGE_SIZE....1253, 1971
_SC_PIPE....1970
_SC_PRIORITIZED_IO....1970
_SC_PRIORITY_SCHEDULING....1970
_SC_READER_WRITER_LOCKS....1970
_SC_REALTIME_SIGNALS....1970
_SC_REGEXP....1970
_SC_REGEX_VERSION....1971
_SC_RE_DUP_MAX....1972
_SC_RTSIG_MAX....1972
_SC_SAVED_IDS....1970
_SC_SEMAPHORES....1970
_SC_SEM_NSEMS_MAX....1972
_SC_SEM_VALUE_MAX....1972
_SC_SHARED_MEMORY_OBJECTS....1970
_SC_SHELL....1970
_SC_SIGNALS....1970
_SC_SIGQUEUE_MAX....1972
_SC_SINGLE_PROCESS....1970
_SC_SPAWN....1970
_SC_SPIN_LOCKS....1970
_SC_SPORADIC_SERVER....1970
_SC_STREAM_MAX....1972
_SC_SYMLOOP_MAX....1972
_SC_SYNCHRONIZED_IO....1970
_SC_SYSTEM_DATABASE....1970
_SC_SYSTEM_DATABASE_R....1970
_SC_THREADS....1971
_SC_THREAD_ATTR_STACKADDR....1971
_SC_THREAD_ATTR_STACKSIZE....1971
_SC_THREAD_CPUTIME....1971
_SC_THREAD_DESTRUCTOR_ITERATIONS....1972
_SC_THREAD_KEYS_MAX....1972
_SC_THREAD_PRIORITY_SCHEDULING....1971
_SC_THREAD_PRIO_INHERIT....1971
_SC_THREAD_PRIO_PROTECT....1971
_SC_THREAD_PROCESS_SHARED....1971
_SC_THREAD_SAFE_FUNCTIONS....1971
_SC_THREAD_SPORADIC_SERVER....1971
_SC_THREAD_STACK_MIN....1972
_SC_THREAD_THREADS_MAX....1972
_SC_TIMEOUTS....1971
_SC_TIMERS....1971
_SC_TIMER_MAX....1972
_SC_TRACE....1971
_SC_TRACE_EVENT_FILTER....1971
_SC_TRACE_INHERIT....1971
_SC_TRACE_LOG....1971
_SC_TTY_NAME_MAX....1972
_SC_TYPED_MEMORY_OBJECTS....1971
_SC_TZNAME_MAX....1972
_SC_USER_GROUPS....1971
_SC_USER_GROUPS_R....1971
_SC_V6_ILP32_OFF32....1971
_SC_V6_ILP32_OFFBIG....1971
_SC_V6_LP64_OFF64....1971
_SC_V6_LPBIG_OFFBIG....1971
_SC_VERSION....1971
_SC_XBS5_ILP32_OFF32....1972
_SC_XBS5_ILP32_OFFBIG....1972
_SC_XBS5_LP64_OFF64....1972
_SC_XBS5_LPBIG_OFFBIG....1972
_SC_XOPEN_CRYPT....1972
_SC_XOPEN_ENH_I18N....1972
_SC_XOPEN_LEGACY....1972
_SC_XOPEN_REALTIME....1972
_SC_XOPEN_REALTIME_THREADS....1972
_SC_XOPEN_SHM....1972
_SC_XOPEN_UNIX....1972
_SC_XOPEN_VERSION....1972
_SC_XOPEN_XCU_VERSION....1972
_setjmp....536
_setjmp()....**538**
_TIME....467
_tolower()....**539**
_toupper()....**540**
_XBS5_ILP32_OFF32....1972
_XBS5_ILP32_OFFBIG....1972

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

_XBS5_LP64_OFF64 1972
_XBS5_LPBIG_OFFBIG 1972
_XOPEN_CRYPT 1972
_XOPEN_ENH_I18N 1972
_XOPEN_LEGACY 1972
_XOPEN_REALTIME 794, 1972
_XOPEN_REALTIME_THREADS 1972
_XOPEN_SHM 1972
_XOPEN_SOURCE 464
_XOPEN_UNIX 1972
_XOPEN_VERSION 1972
_XOPEN_XCU_VERSION 1972
a64l( ) **541**
ABDAY_1 1312
abort( ) **543**
abs( ) **544**
accept( ) **545**
access( ) **547**
acos( ) **550**
acosf 550
acosf( ) **552**
acosh( ) **553**
acoshf 553
acoshl 553
acosl 550
acosl( ) **555**
ACTION 1047
address information 883
address string 883
addrinfo structure 883
ADV **453**
ADVANCED REALTIME 652, 656, 1277-1278
1344, 1346, 1348, 1350, 1352, 1355, 1363
1366, 1368-1371, 1373, 1375, 1377, 1379
1381, 1383, 1385-1392, 1453, 1455, 1534
1579, 1753
ADVANCED REALTIME THREADS 1500, 1502-1503
1505, 1507, 1509-1510, 1551, 1633, 1635-1636
1638-1639
AF_ 468
AIO **453**
AIO_ 466
AIO_ALLDONE 556
aio_cancel( ) **556**
AIO_CANCELED 556
aio_error( ) **558**
aio_fsync( ) **559**
AIO_LISTIO_MAX 1163, 1969
AIO_MAX 1163, 1969
AIO_NOTCANCELED 556
AIO_PRIO_DELTA_MAX 492, 1969
aio_read( ) **561**
aio_return( ) **564**
aio_suspend( ) **565**
aio_write( ) **567**
alarm( ) **570**
anycast 517
ANYMARK 1087
appropriate privileges 548, 857
argc 760
ARG_MAX 472, 755, 758, 761, 1969
asctime( ) **572**
asctime_r 572
asin( ) **574**
asinf 574
asinf( ) **576**
asinfh 578
asinfh( ) **577**
asinfl 577-578
asinh( ) **578**
asinl 574
asinl( ) **580**
assert( ) **581**
async-signal-safe 1468
atan( ) **582**
atan2( ) **584**
atan2f 584
atan2l 584
atanf 582
atanf( ) **586**
atanh( ) **587**
atanhf 587
atanhl 587
atanl 582
atanl( ) **589**
atexit( ) **590**
ATEXIT_MAX 590, 1969
atof( ) **591**
atoi( ) **592**
atol( ) **594**
atoll 594
attributes, clock-resolution 526, 1395
attributes, creation-time 526, 1395
attributes, generation-version 525, 1395
attributes, inheritance 526, 1399
attributes, log-full-policy 524, 526, 1399, 1403
attributes, log-max-size 526, 1400, 1403
attributes, max-data-size 526, 1403-1404
attributes, stream-full-policy 522-523, 526, 1400
attributes, stream-min-size 526, 1404
attributes, trace-name 526, 1395
attributes, truncation-status 1426

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

background 1799
background process 2002
BAR **453**
basename( ) **595**
baud rate functions 636
bcmp( ) **597**
bcopy( ) **598**
BC_ constants
  in sysconf 1969
BC_BASE_MAX 1969
BC_DIM_MAX 1969
BC_SCALE_MAX 1969
BC_STRING_MAX 1969
BE **454**
bind( ) **599**
BOOT_TIME 742-743
broadcasting a condition 1519
BSD 570, 647, 767, 791, 800, 858
  ....998, 1145, 1233, 1300, 1670, 1710, 1718
  ....1799, 1842, 1868, 1994, 2017, 2056, 2091
bsd_signal( ) **601**
bsearch( ) **603**
btowc( ) **605**
buffer cache 909
BUFSIZ 1779
BUS_ 468
byte-oriented stream 486
byte-stream mode 1667
bzero( ) **606**
cabs( ) **607**
cabsf 607
cabsl 607
cacos( ) **608**
cacosf 608
cacosf( ) **609**
cacosh( ) **610**
cacoshf 610
cacoshl 610
cacosl 608
cacosl( ) **611**
calloc( ) **612**
can 451
cancel-safe 1625
cancelability state 1558, 1625
cancelability states 504
cancelability type 1558, 1625
cancelation cleanup handler 1516
  ....1528, 1547, 1562
cancelation points 505
canceling execution of a thread 1511
canonical name 884
carg( ) **614**
cargf 614
cargl 614
casin( ) **615**
casinf 615
casinf( ) **616**
casinh( ) **617**
casinhf 617
casinhl 617
casinl 615
casinl( ) **618**
catan( ) **619**
catanf 619
catanf( ) **620**
catanh( ) **621**
catanhf 621
catanhl 621
catanl 619
catanl( ) **622**
catclose( ) **623**
catgets( ) **624**
catopen( ) **626**
cbrt( ) **628**
cbrtf 628
cbrtl 628
ccos( ) **629**
ccosf 629
ccosf( ) **630**
ccosh( ) **631**
ccoshf 631
ccoshl 631
ccosl 629
ccosl( ) **632**
CD **454**
ceil( ) **633**
ceilf 633
ceill 633
cexp( ) **635**
cexpf 635
cexpl 635
cfgetispeed( ) **636**
cfgetospeed( ) **638**
cfsetispeed( ) **639**
cfsetospeed( ) **640**
change current working directory 642
change file modes 645
change owner and group of file 647
CHAR_MAX 1173, 1175
chdir( ) **641**
CHILD_MAX 852, 1969
chmod( ) **643**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

chown( ) **646**
cimag( ) **649**
cimagf 649
cimagl 649
CLD_ 468
clearerr( ) **650**
clock tick 570, 1973, 2027
clock ticks/second 1969
clock( ) **651**
clock-resolution attribute 526, 1395
CLOCKS_PER_SEC 651
CLOCK_ 467
clock_getcpuclockid( ) **652**
clock_getres( ) **653**
clock_gettime 653
CLOCK_MONOTONIC 499, 657
clock_nanosleep( ) **656**
CLOCK_PROCESS_CPUTIME_ID 500
CLOCK_REALTIME 499, 653, 657
..... 1300, 1579, 1753, 2019
clock_settime 653
clock_settime( ) **659**
CLOCK_THREAD_CPUTIME_ID 500
clog( ) **660**
clogf 660
clogl 660
close a file 663
close( ) **661**
closedir( ) **664**
closelog( ) **666**
CMSG_ 468
COLL_WEIGHTS_MAX 1969
command interpreter
portable 2091
compare thread IDs 1546
compilation environment **463**
condition variable initialization attributes 1532
conforming application 1886
conforming application, strictly 570, 760
confstr( ) **670**
conj( ) **673**
conjf 673
conjl 673
connect( ) **674**
control data 488
control-normal **1667**
conversion descriptor 755, 760, 1056-1059
conversion specification 861, 892, 925, 934
..... 1919, 1924, 1936
modified 1926
conversion specifier
modified 1937
copysign( ) **677**
copysignf 677
copysignl 677
core 2092
core file 766
cos( ) **678**
cosf 678
cosf( ) **680**
cosh( ) **681**
coshf 681
coshl 681
cosl 678
cosl( ) **683**
covert channel 1145
cpow( ) **684**
cpowf 684
cpowl 684
cproj( ) **685**
cprojf 685
cprojl 685
CPT **454**
creal( ) **686**
crealf 686
creall 686
creat( ) **687**
create a per-process timer 2020
create an interprocess channel 1335
create session and set process group ID 1811
creation-time attribute 526, 1395
CRYPT 689, 728, 1792
crypt( ) **689**
CS **454**
csin( ) **691**
csinf 691
csinf( ) **692**
csinh( ) **693**
csinhf 693
csinhl 693
csinl 691
csinl( ) **694**
csqrt( ) **695**
csqrtf 695
csqrtl 695
ctan( ) **696**
ctanf 696
ctanf( ) **697**
ctanh( ) **698**
ctanhf 698
ctanhl 698

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

ctanl 696
ctanl( ) **699**
ctermid( ) **700**
ctime( ) **702**
ctime_r 702
CX **454**
data key creation 1562
data messages 488
data type **530**
DATEMSK 952
daylight **704**, 2048
DBL_MANT_DIG 633, 834
DBL_MAX_EXP 633, 834
DBM 705-706
DBM_ 468
dbm_clearerr( ) **705**
dbm_close 705
dbm_delete 705
dbm_error 705
dbm_fetch 705
dbm_firstkey 705
DBM_INSERT 705
dbm_nextkey 705
dbm_open 705
DBM_REPLACE 705
dbm_store 705
DEAD_PROCESS 742-743
deferred cancelability 1558
delay process execution 1885
DELAYTIMER_MAX 1969
dependency ordering 717
descriptive name 883
destroying a mutex 1568
destroying condition variables 1523
destructor functions 1562
detaching a thread 1544
difftime( ) **708**
DIR 530, 664, 1324, 1673, 1675, 1713, 1740, 2010
directive 861, 892, 925, 934, 1936
directory operations 1325
dirent structure 1325
dirname( ) **709**
div( ) **711**
dlclose( ) **712**
dlerror( ) **714**
dlopen( ) **716**
dlsym( ) **719**
dot 1325, 1710
dot-dot 1325, 1710
drand48( ) **721**
dup( ) **723**
dup2 723
dynamic package initialization 1600
E2BIG **472**
EACCES **472**
EADDRINUSE **472**
EADDRNOTAVAIL **472**
EAFNOSUPPORT **472**
EAGAIN **472**, 478
EALREADY **472**
EBADF **472**
EBADMSG **472**
EBUSY **473**
ECANCELED **473**
ECHILD **473**
ECONNABORTED **473**
ECONNREFUSED **473**
ECONNRESET **473**
ecvt( ) **726**
EDEADLK **473**
EDESTADDRREQ **473**
EDOM **473**
EDQUOT **473**
EEXIST **473**
EFAULT **473**
EFBIG **473**
effective group ID 647, 761, 970
effective user ID 548, 761, 1145
EHOSTUNREACH 473
EIDRM **473**
Eighth Edition UNIX 2162
EILSEQ **474**, 488
EINPROGRESS **474**, 492
EINTR **474**, 507, 1420
EINVAL **474**, 1404, 1420
EIO **474**
EISCONN **474**
EISDIR **474**
ELOOP **474**
ELSIZE 1203
EMFILE **474**
EMLINK **474**
EMPTY 743
EMSGSIZE **474**
EMULTIHOP **474**
ENAMETOOLONG **475**
encrypt( ) **728**
endgrent( ) **730**
endhostent( ) **732**
endnetent( ) **734**
endprotoent( ) **736**
endpwent( ) **738**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

354 endservent( ) **740**
355 endutxent( ) **742**
356 ENETDOWN **475**
357 ENETRESET **475**
358 ENETUNREACH **475**
359 ENFILE **475**
360 ENOBUFS **475**
361 ENODATA **475**
362 ENODEV **475**
363 ENOENT **475**
364 ENOEXEC **475**
365 ENOLCK **475**
366 ENOLINK **475**
367 ENOMEM **475**
368 ENOMSG **475**
369 ENOPROTOOPT **475**
370 ENOSPC **476**
371 ENOSR **476**
372 ENOSTR **476**
373 ENOSYS **476**
374 ENOTCONN **476**
375 ENOTDIR **476**
376 ENOTEMPTY **476**
377 ENOTSOCK **476**
378 ENOTSUP **476**
379 ENOTTY **476**
380 ENTRY 1047
381 environ **745**, 760
382 envp 760
383 ENXIO **476**
384 EOPNOTSUPP **476**
385 EOVERFLOW **476**
386 EPERM **476**
387 EPIPE **476**
388 EPROTO **477**
389 EPROTONOSUPPORT **477**
390 EPROTOTYPE **477**
391 erand48 721
392 erand48( ) **746**
393 ERANGE **477**
394 erf( ) **747**
395 erfc( ) **749**
396 erfcf 749
397 erfcl 749
398 erff 747
399 erff( ) **751**
400 erfl 747, 751
401 EROFS **477**
402 errno **752**
403 error descriptions 940
404 error numbers 471
additional 478
ESPIPE **477**
ESRCH **477**
establishing cancelation handlers 1516
ESTALE **477**
ETIME **477**
ETIMEDOUT **477**
ETXTBSY **477**
EWOULDBLOCK **477**
examine and change blocked signals 1632
examine and change signal action 1842
EXDEV **478**
exec **754**
of shell scripts 760
exec family ..... 548, 663, 790, 831, 854 ..... 1468, 1800, 2091
execl 754
execle 754
execlp 754
execute a file 760
execution time monitoring 500
execv 754
execve 754
execvp 754
exit( ) **764**
EXIT_FAILURE 764
EXIT_SUCCESS 764, 767
exp( ) **769**
exp2( ) **771**
exp2f 771
exp2l 771
expf 769
expl 769
expm1( ) **773**
expm1f 773
expm1l 773
EXPR_NEST_MAX 1969
extension
CX 454
OH 456
XSI 460
extensions to setlocale 1794
fabs( ) **775**
fabsf 775
fabsl 775
fattach( ) **776**
fchdir( ) **779**
fchmod( ) **780**
fchown( ) **782**
fclose( ) **784**
fcntl( ) **786**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

fcvt 726
fcvt( ) **793**
FD **454**
fdatasync( ) **794**
fdetach( ) **795**
fdim( ) **797**
fdimf 797
fdiml 797
fdopen( ) **799**
FD_CLOEXEC 485, 626, 755, 786, 1059
....1317, 1325, 1335, 1356, 1363, 1823
FD_CLR 1463
FD_CLR( ) **534**
FD_ISSET 534, 1463
FD_SET 534, 1463
FD_ZERO 534, 1463
feature test macro 463, 945
_POSIX_C_SOURCE 464
_XOPEN_SOURCE 464
feclearexcept( ) **801**
fegetenv( ) **802**
fegetexceptflag( ) **803**
fegetround( ) **804**
feholdexcept( ) **806**
feof( ) **807**
feraiseexcept( ) **808**
ferror( ) **809**
fesetenv 802
fesetenv( ) **810**
fesetexceptflag 803
fesetexceptflag( ) **811**
fesetround 804
fesetround( ) **812**
fetestexcept( ) **813**
feupdateenv( ) **815**
fflush( ) **817**
ffs( ) **820**
fgetc( ) **821**
fgetpos( ) **823**
fgets( ) **825**
fgetwc( ) **827**
fgetws( ) **829**
FIFO 1235-1236, 1321, 2161
FILE 530, 650, 784, 799, 807, 809
....817, 821, 823, 825, 827, 829, 831-832
....847, 861, 873, 875, 877, 879-880, 887
....892, 899, 902, 911, 923-925, 932, 934
....943-944, 1036, 1331, 1341, 1642-1643
....1656, 1712, 1779, 1821, 1904, 2029
....2058-2059, 2076, 2078, 2080, 2082, 2084
....2086
file
locking 789
file accessibility 548
file control 789
FILE object 484
file permission bits 548
file permissions 548, 858, 1901
file position indicator 484
fileno( ) **831**
FILESIZEBITS 856
FIND 1047
find string token 1950
flockfile( ) **832**
floor( ) **834**
floorf 834
floorl 834
FLT_RADIX 1192
FLT_ROUNDS 836
FLUSH 468
FLUSHR 1081
FLUSHRW 1081
FLUSHW 1081
fma( ) **836**
fmaf 836
fmal 836
fmax( ) **838**
fmaxf 838
fmaxl 838
fmin( ) **839**
fminf 839
fminl 839
FMNAMESZ 1080
fmod( ) **840**
fmodf 840
fmodl 840
fmtmsg( ) **842**
fnmatch( ) **845**
FNM_ 468
FNM_NOESCAPE 845
FNM_NOMATCH 845
FNM_PATHNAME 845
FNM_PERIOD 845
fopen( ) **847**
FOPEN_MAX 799, 848, 1341, 2029
foreground 1799
fork handler 1469
fork( ) **851**
forkall 854
format of entries **461**
fpathconf( ) **856**
fpclassify( ) **860**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

FPE_ ... 468
fprintf( ) ... **861**
fputc( ) ... **873**
fputs( ) ... **875**
fputwc( ) ... **877**
fputws( ) ... **879**
FQDN ... 986
FR ... **454**
fread( ) ... **880**
free( ) ... **882**
freeaddrinfo( ) ... **883**
freopen( ) ... **887**
frexp( ) ... **890**
frexpf ... 890
frexpl ... 890
FSC ... **455**
fscanf( ) ... **892**
fseek( ) ... **899**
fseeko ... 899
fsetpos( ) ... **902**
fstat( ) ... **904**
fstatvfs( ) ... **906**
fsync( ) ... **909**
ftell( ) ... **911**
ftello ... 911
ftime( ) ... **913**
ftok( ) ... **915**
ftruncate( ) ... **917**
ftrylockfile ... 832
ftrylockfile( ) ... **919**
FTW ... 468, 1307-1308
ftw( ) ... **920**
FTW_CHDIR ... 1307
FTW_D ... 920, 1307
FTW_DEPTH ... 1307
FTW_DNR ... 920, 1307-1308
FTW_DP ... 1307
FTW_F ... 920, 1307
FTW_MOUNT ... 1307
FTW_NS ... 920, 1307-1308
FTW_PHYS ... 1307
FTW_SL ... 920, 1307
FTW_SLN ... 1307
fully-qualified domain name ... 986
functions ... **463**
  implementation ... 463
  use ... 463
funlockfile ... 832
funlockfile( ) ... **923**
fwide( ) ... **924**
fwprintf( ) ... **925**
fwrite( ) ... **932**
fwscanf( ) ... **934**
F_DUPFD ... 723, 786, 788-789
F_GETFD ... 786, 788-789
F_GETFL ... 786, 788-789
F_GETLK ... 787-789
F_GETOWN ... 786, 788
F_LOCK ... 1181
F_RDLCK ... 789
F_SETFD ... 786, 788-790
F_SETFL ... 786, 788-789
F_SETLK ... 787-789
F_SETLKW ... 505, 787-789
F_SETOWN ... 786, 789
F_TEST ... 1181
F_TLOCK ... 1181
F_ULOCK ... 1181
F_UNLCK ... 787
F_WRLCK ... 789
gai_strerror( ) ... **940**
gcvt ... 726
gcvt( ) ... **941**
generation-version attribute ... 525, 1395
get configurable path name variables ... 858
get configurable system variables ... 1973
get file status ... 1901
get process times ... 2027
get supplementary group IDs ... 969
get system time ... 2017
get thread ID ... 1623
get user name ... 980
getaddrinfo ... 883
getaddrinfo( ) ... **942**
GETALL ... 1760
getc( ) ... **943**
getchar( ) ... **946**
getchar_unlocked ... 944
getchar_unlocked( ) ... **947**
getcontext( ) ... **948**
getcwd( ) ... **950**
getc_unlocked( ) ... **944**
getdate( ) ... **952**
getdate_err ... 952
getegid( ) ... **957**
getenv ... 760
getenv( ) ... **958**
geteuid( ) ... **961**
getgid( ) ... **962**
getgrent ... 730
getgrent( ) ... **963**
getgrgid( ) ... **964**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

getgrgid_r....964
getgrnam( )....**967**
getgrnam_r....967
getgroups( )....**969**
gethostbyaddr( )....**971**
gethostbyname....971
gethostbyname( )....**973**
gethostent....732
gethostent( )....**974**
gethostid( )....**975**
gethostname( )....**976**
getitimer( )....**977**
getlogin( )....**979**
getlogin_r....979
getmsg( )....**982**
getnameinfo( )....**986**
GETNCNT....1760-1761
getnetbyaddr....734
getnetbyaddr( )....**988**
getnetbyname....734
getnetbyname( )....**989**
getnetent....734
getnetent( )....**990**
getopt( )....**991**
getpeername( )....**996**
getpgid( )....**997**
getpgrp( )....**998**
GETPID....1760-1761
getpid( )....**999**
getpmsg....982
getpmsg( )....**1000**
getppid( )....**1001**
getpriority( )....**1002**
getprotobyname....736
getprotobyname( )....**1005**
getprotobynumber....736
getprotobynumber( )....**1006**
getprotoent....736
getprotoent( )....**1007**
getpwent....738
getpwent( )....**1008**
getpwnam( )....**1009**
getpwnam_r....1009
getpwuid( )....**1012**
getpwuid_r....1012
getrlimit( )....**1015**
getrusage( )....**1018**
gets( )....**1020**
getservbyname....740
getservbyname( )....**1021**
getservbyport....740
getservbyport( )....**1022**
getservent....740
getservent( )....**1023**
getsid( )....**1024**
getsockname( )....**1025**
getsockopt( )....**1026**
getsubopt( )....**1029**
gettimeofday( )....**1033**
getuid( )....**1034**
getutxent....742
getutxent( )....**1035**
getutxid....742, 1035
getutxline....742, 1035
GETVAL....1760-1761
getwc( )....**1036**
getwchar( )....**1037**
getwd....951
getwd( )....**1038**
GETZCNT....1760-1761
glob( )....**1039**
globfree....1039
GLOB_....468
GLOB_ constants
  error returns of glob....1041
  used in glob....1039
GLOB_ABORTED....1041
GLOB_APPEND....1039-1040
GLOB_DOOFFS....1039-1040
GLOB_ERR....1039, 1041
GLOB_MARK....1040
GLOB_NOCHECK....1040-1041
GLOB_NOESCAPE....1040
GLOB_NOMATCH....1041
GLOB_NOSORT....1040
GLOB_NOSPACE....1041
gmtime( )....**1043**
gmtime_r....1043
grantpt( )....**1045**
granularity of clock....913
HALT....843
hcreate....1047
hcreate( )....**1047**
hdestroy....1047
hdestroy( )....**1050**
high resolution sleep....1300
host name....883
hsearch( )....**1051**
htonl( )....**1052**
htons....1052
htons( )....**1053**
HUGE_VAL....587, 633, 681, 769, 771, 773

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

.....797, 834, 1054, 1153, 1157, 1184, 1188
.....1190, 1302, 1304, 1458, 1715, 1720, 1724
.....1882, 1944, 1982, 2014, 2118
HUGE_VALF 1944, 2118
HUGE_VALL 1944, 2118
hypot( ).....**1054**
hypotf.....1054
hypotl.....1054
h_errno.....**1046**
iconv( ) **1056**
iconv_close( ).....**1058**
iconv_open( ).....**1059**
IEEE Std 754-1985 453
IEEE Std 854-1987 453
IF_ 468
if_freenameindex( ) **1061**
if_indextoname( ).....**1062**
if_nameindex( ) **1063**
if_nametoindex( ).....**1064**
ILL_.....468
ilogb( ) **1065**
ilogbf 1065
ilogbl.....1065
imaxabs( ) **1067**
imaxdiv( ) **1068**
implementation-defined 451
IMPLINK_.....468
INADDR_.....468
index( ) **1069**
inet_addr( ).....**1070**
inet_ntoa.....1070
inet_ntoa( ) **1072**
inet_ntop( ).....**1073**
inet_pton 1073
Inf.....574
INF.....864, 928
INFINITY 864, 928
INFO.....843
inheritance attribute 526, 1399
init.....767, 1145
initialize a named semaphore.....1749
initialize an unnamed semaphore.....1746
initializing a mutex 1568
initializing condition variables.....1523
initstate( ).....**1075**
INIT_PROCESS.....742-743
input and output rationale 1669
insque( ) **1077**
INT.....468
international environment.....1794
Internet Protocols 516
INT_MAX.....1065
INT_MIN.....544
IN_ 468
ioctl( ).....**1080**
IOV_ 468
IOV_MAX 1969
IP6 .....**455**
IPC.....**489**, 1283, 1285, 1288, 1290
.....1765, 1769, 1833, 1835
IPC_ 468
IPC_ constants
used in semctl 1760
used in shmctl.....1831
IPC_CREAT.....1284, 1763, 1834
IPC_EXCL.....1284, 1763
IPC_NOWAIT.....1286-1287, 1289-1290, 1766
IPC_PRIVATE.....1284, 1763, 1834
IPC_RMID.....1282, 1761, 1831
IPC_SET.....1282, 1761, 1831
IPC_STAT 1282, 1760, 1831
IPPORT_.....468
IPPROTO_.....468
IPv4.....517
IPv4-compatible address.....518
IPv4-mapped address.....518
IPv6.....517
compatibility with IPv4 518
interface identification 518
options 519
IPv6 address
anycast.....517
loopback 518
multicast.....517
unicast.....517
unspecified.....518
IP_ 468
isalnum( ).....**1092**
isalpha( ) **1093**
isascii( ) **1094**
isastream( ).....**1095**
isatty( ) **1096**
isblank( ) **1097**
iscntrl( ).....**1098**
isdigit( ).....**1099**
isfinite( ).....**1100**
isgraph( ).....**1101**
isgreater( ).....**1102**
isgreaterequal( ) **1103**
isinf( ).....**1104**
isless( ).....**1105**
islessequal( ).....**1106**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

islessgreater( ).....**1107**
islower( ).....**1108**
isnan( ).....**1110**
isnormal( ).....**1111**
ISO C standard.....453, 570, 760, 789, 945
.....1205, 1663, 1710, 1794, 1842, 1868, 2017
isprint( ).....**1112**
ispunct( ).....**1113**
isspace( ).....**1114**
isunordered( ).....**1115**
isupper( ).....**1116**
iswalnum( ).....**1117**
iswalpha( ).....**1119**
iswblank( ).....**1121**
iswcntrl( ).....**1122**
iswctype( ).....**1124**
iswdigit( ).....**1126**
iswgraph( ).....**1127**
iswlower( ).....**1129**
iswprint( ).....**1131**
iswpunct( ).....**1133**
iswspace( ).....**1135**
iswupper( ).....**1137**
iswxdigit( ).....**1139**
isxdigit( ).....**1140**
ITIMER_PROF.....977
ITIMER_REAL 977
ITIMER_VIRTUAL.....977
I_ 468
I_ATMARK 1086-1087
I_CANPUT.....1087
I_CKBAND 1087
I_FDINSERT 1083
I_FIND 1082
I_FLUSH 1080
I_FLUSHBAND 1081
I_GETBAND.....1087
I_GETCLTIME.....1087
I_GETSIG 1082
I_GRDOPT.....1083, 1667
I_GWROPT 1085
I_LINK 1088
I_LIST.....1086
I_LOOK 1080
I_NREAD 1083
I_PEEK 1082
I_PLINK.....1089
I_POP 1080
I_PUNLINK.....1089
I_PUSH 1080
I_RECVFD 472, 1086
I_SENDFD.....1085-1086
I_SETCLTIME 661, 1087
I_SETSIG.....1081-1082
I_SRDOPT.....1082-1083, 1667
I_STR.....1084
I_SWROPT.....1085, 2159
I_UNLINK 1088
j0( ) **1141**
j1.....1141
jn 1141
job control 767, 998, 1145, 1799, 1811, 1973, 2091
jrand48 721
jrand48( ).....**1143**
kill( ).....**1144**
killpg( ).....**1147**
l64a.....541
l64a( ).....**1148**
labs( ).....**1149**
LANG.....626
last close 1827
LASTMARK.....1087
lchown( ).....**1150**
lcong48.....721
lcong48( ).....**1152**
LC_ALL.....755, 1175, 1312, 1793, 1795
LC_COLLATE.....1039-1040, 1793-1794, 1911
.....1960, 2102, 2138
LC_CTYPE.....605, 1124, 1213, 1215, 1217
.....1219-1220, 1222, 1224, 1793-1794, 2034-2038
.....2097, 2113, 2129, 2140-2141, 2143-2144
LC_MESSAGES 626, 1793-1794, 1917
LC_MONETARY.....1175, 1793-1794, 1920
LC_NUMERIC 726, 862, 892, 925, 934
.....1175, 1793-1794, 1920, 1944, 2118
LC_TIME.....953, 1312, 1793-1794
ldexp( ).....**1153**
ldexpf 1153
ldexpl 1153
ldiv( ).....**1155**
legacy 451
LEGACY.....2071
lfind 1203
lfind( ).....**1156**
lgamma( ) **1157**
lgammaf.....1157
lgammal.....1157
LIFO.....507
LINE_MAX 1969
link to a file 1161
link( ) **1159**
LINK_MAX.....474, 856, 1159, 1709

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

LIO_....466
lio_listio( )....**1162**
LIO_NOP....1162
LIO_NOWAIT....1162
LIO_READ....1162
LIO_WAIT....1162
LIO_WRITE....1162
list directed I/O....1164
listen( )....**1165**
llabs....1149
llabs( )....**1167**
lldiv....1155
lldiv( )....**1168**
LLONG_MAX....1953, 2125
LLONG_MIN....1953
,....2125
llrint( )....**1169**
llrintf....1169
llrintl....1169
llround( )....**1171**
llroundf....1171
llroundl....1171
load ordering....717
localeconv( )....**1173**
localtime( )....**1178**
localtime_r....1178
lockf( )....**1181**
locking....789
advisory....790
mandatory....790
locking and unlocking a mutex....1576
log( )....**1184**
log-full-policy attribute .524, 526, 1399, 1403, 1424
log-max-size attribute....526, 1400, 1403
log10( )....**1186**
log10f....1186
log10l....1186
log1p( )....**1188**
log1pf....1188
log1pl....1188
log2( )....**1190**
log2f....1190
log2l....1190
logb( )....**1192**
logbf....1192
logbl....1192
logf....1184
logf( )....**1194**
login shell....760
LOGIN_NAME_MAX....979, 1969
LOGIN_PROCESS....742-743
logl....1184
logl( )....**1195**
LOG_....468
LOG_ constants in syslog....**666**
LOG_ALERT....666
LOG_CONS....667
LOG_CRIT....666
LOG_DEBUG....666
LOG_EMERG....666
LOG_ERR....666
LOG_INFO....666
LOG_LOCAL....666
LOG_NDELAY....667
LOG_NOTICE....666
LOG_NOWAIT....667
LOG_ODELAY....667
LOG_PID....667
LOG_USER....666-667
LOG_WARNING....666
longjmp( )....**1196**
LONG_MAX....1953, 2125
LONG_MIN....1953, 2125
lrand48....721
lrand48( )....**1198**
lrint( )....**1199**
lrintf....1199
lrintl....1199
lround( )....**1201**
lroundf....1201
lroundl....1201
lsearch( )....**1203**
lseek( )....**1205**
lstat( )....**1207**
L_ctermid....700
l_sysid....790
makecontext( )....**1209**
malloc( )....**1211**
manipulate signal sets....1848
mappings....1256
MAP_....466, 468
MAP_FAILED....1256
MAP_FIXED....1252, 1255
MAP_PRIVATE....851, 1252, 1256, 1260, 1292
MAP_SHARED....854, 1252-1253
max-data-size attribute....526, 1403-1404
MAXPATHLEN....709
MAX_CANON....856
MAX_INPUT....856
may....452
mblen( )....**1213**
mbrlen( )....**1215**

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

mbrtowc( ).....**1217**
mbsinit( ).....**1219**
mbsrtowcs( ).....**1220**
mbstowcs( ).....**1222**
mbtowc( ).....**1224**
MB_CUR_MAX.1213, 1215, 1217, 1224, 2097, 2141
MC1.....**455**
MC2.....**455**
MCL_.....466
MCL_CURRENT.....1249
MCL_FUTURE.....1249
memccpy( ).....**1226**
memchr( ).....**1227**
memcmp( ).....**1228**
memcpy( ).....**1229**
MEMLOCK_FUTURE.....1256
memmove( ).....**1230**
memory management.....493
memory protection option.....1255
memset( ).....**1231**
message catalog descriptor.....755, 760, 764
message parts.....489
message priority.....488
  high-priority.....488
  normal.....488
  priority.....488
message-discard mode.....1667
message-nondiscard mode.....1667
MF.....**455**
MINSIGSTKSZ.....1845
mkdir( ).....**1232**
mkfifo( ).....**1235**
mknod( ).....**1238**
mkstemp( ).....**1241**
mktemp( ).....**1243**
mktime( ).....**1245**
ML.....**455**
mlock( ).....**1247**
mlockall( ).....**1249**
MLR.....**455**
mmap( ).....**1251**
MM_APPL.....842
MM_CONSOLE.....842
MM_ERROR.....843-844
mm_FIRM.....842
MM_HALT.....843
MM_HARD.....842
MM_INFO.....843
MM_NOCON.....843
MM_NOMSG.....843
MM_NOSEV.....843
MM_NOTOK.....843
MM_NRECOV.....842
MM_NULLMC.....842
MM_OK.....843
MM_OPSYS.....842
MM_PRINT.....842, 844
MM_RECOVER.....842
MM_SOFT.....842
MM_UTIL.....842
MM_WARNING.....843
modf( ).....**1258**
modff.....1258
modfl.....1258
MON.....**456**
MORECTL.....983
MOREDATA.....983
MPR.....**456**
mprotect( ).....**1260**
mq_close( ).....**1262**
mq_getattr( ).....**1263**
mq_notify( ).....**1265**
mq_open( ).....**1267**
MQ_OPEN_MAX.....1969
MQ_PRIO_MAX.....1273-1274, 1969
mq_receive( ).....**1270**
mq_send( ).....**1273**
mq_setattr( ).....**1275**
mq_timedreceive.....1270
mq_timedreceive( ).....**1277**
mq_timedsend.....1273
mq_timedsend( ).....**1278**
mq_unlink( ).....**1279**
mrand48.....721
mrand48( ).....**1281**
MSG.....**456**, 468
msgctl( ).....**1282**
msgget( ).....**1284**
msgrcv( ).....**1286**
msgsnd( ).....**1289**
MSGVERB.....843-844
MSG_.....468
MSG_ANY.....982
MSG_BAND.....982, 1648
MSG_EOR.....1888, 1890
MSG_HIPRI.....982, 1648
MSG_NOERROR.....1286-1287
msg_perm.....490
msqid.....490
msync( ).....**1292**
MS_.....466, 468
MS_ASYNC.....1253, 1292

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

MS_INVALIDATE 1292-1293
MS_SYNC 1253, 1292
multicast 517
munlock 1247
munlock( ) **1295**
munlockall 1249
munlockall( ) **1296**
munmap( ) **1297**
mutex attributes 1583
mutex initialization attributes 1582
mutex performance 1583
MUXID_ALL 1088-1089
MUXID_R 468
MX **456**
M_ 468
name information 986
name space **464**
NAME_MAX 475, 547, 626, 641, 643
....646, 758, 776, 795, 848, 856, 887, 906
....915, 1150, 1159, 1207, 1232, 1235, 1239
....1268, 1279, 1308, 1319, 1324, 1456, 1673
....1677, 1684, 1709, 1717, 1749, 1757, 1824
....1827, 1899, 1966, 2040, 2061, 2069, 2071
NaN 574
NAN 864
NaN 864
NAN 928
NaN 928
nan( ) **1299**
nanf 1299
nanl 1299
nanosleep( ) **1300**
NDEBUG 471, 581
nearbyint( ) **1302**
nearbyintf 1302
nearbyintl 1302
network interfaces 509
NEW_TIME 742-743
nextafter( ) **1304**
nextafterf 1304
nextafterl 1304
nexttoward 1304
nexttoward( ) **1306**
nexttowardf 1304, 1306
nexttowardl 1304, 1306
nftw( ) **1307**
NGROUPS_MAX 970, 1969
nice( ) **1310**
NLSPATH 626
NL_ARGMAX 861, 892, 925, 934
NL_CAT_LOCALE 626
nl_langinfo( ) **1312**
nohup utility 761
non-local jumps 1868
non-volatile storage 909
nrand48 721
nrand48( ) **1314**
ntohl 1052
ntohl( ) **1315**
ntohs 1052
ntohs( ) **1316**
NULL 671, 700, 707, 714, 719, 1256, 1675
NUM_EMPL 1048
NZERO 1002, 1310
OB **456**
obsolescent 636
OF **456**
OH **456**
OLD_TIME 742-743
open a file 1321
open a named semaphore 1749
open a shared memory object 1824
open( ) **1317**
opendir( ) **1324**
openlog 666
openlog( ) **1327**
OPEN_MAX 474, 626, 723, 738, 789
....848, 887, 920, 964, 967, 979, 1012, 1059
....1267, 1308, 1319, 1324, 1335, 1363, 1366
....1969, 2029
optarg 991, 1328
opterr 991, 1328
optind 991, 1328
option
ADV 453
AIO 453
BAR 453
BE 454
CD 454
CPT 454
CS 454
FD 454
FR 454
FSC 455
IP6 455
MC1 455
MC2 455
MF 455
ML 455
MLR 455
MON 456
MPR 456

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

MSG....456
MX....456
PIO....457
PS....457
RS....457
RTS....457
SD....457
SEM....457
SHM....457
SIO....457
SPI....458
SPN....458
SS....458
TCT....458
TEF....458
THR....458
TMO....458
TMR....459
TPI....459
TPP....459
TPS....459
TRC....459
TRI....459
TRL....459
TSA....459
TSF....460
TSH....460
TSP....460
TSS....460
TYM....460
UP....460
XSR....461
optopt....991, 994, 1328
optstring....994
orphaned process group....767
O_ constants
used in open( )....1317
used in posix_openpt( )....1353
O_ACCMODE....786
O_APPEND....491, 567, 705, 800, 1317, 2157
O_CREAT....687, 1267-1268, 1279, 1317-1319
....1743, 1748, 1823-1825
O_DSYNC....559, 1317-1318, 1667, 2158
O_EXCL....1268, 1317-1318, 1748, 1823-1824
O_NDELAY....2162
O_NOCTTY....1318, 1322, 1353
O_NONBLOCK....474, 661, 784, 817, 821, 827
....873, 877, 900, 902, 983, 1084, 1086, 1268
....1270, 1273, 1275, 1318-1320, 1335, 1338
....1649, 1666, 2158, 2161
O_RDONLY....709, 1267, 1317-1319, 1322, 1823
....1825
O_RDWR....779, 1181, 1267, 1317-1321, 1353
....1823, 1825
O_RSYNC....1318, 1667
O_SYNC....559, 1318, 1667, 2158
O_TRUNC....687, 1318, 1320, 1322, 1824-1825
O_WRONLY....687, 779, 1181, 1267, 1317-1320
....1322
PAGESIZE....493, 1247, 1293, 1297, 1475, 1971
PAGE_SIZE....1971
PATH....671
PATH environment variable....762
pathconf....856
pathconf( )....**1329**
PATH_MAX....475, 547, 626, 641, 643, 646
....758, 776, 795, 848, 856, 887, 906, 915
....951, 1038, 1150, 1159, 1207, 1232, 1235
....1239, 1268, 1279, 1308, 1319, 1324, 1456
....1677, 1684, 1709, 1717, 1749, 1757, 1824
....1827, 1899, 1966, 1974, 2040, 2061, 2069
....2071
pause( )....**1330**
pclose( )....**1331**
perror( )....**1333**
persistent connection (I_PLINK)....**1089**
PF_....468
physical write....909
PIO....**457**
pipe....853, 1322, 2161
pipe( )....**1335**
PIPE_BUF....856, 2158, 2161
PIPE_MAX....2163
plain characters....1919
POLL....468
poll( )....**1337**
POLLERR....1337
POLLHUP....1337
POLLIN....1337
POLLNVAL....1338
POLLOUT....1337
POLLPRI....1337
POLLRDBAND....1337
POLLRDNORM....1337
POLLWRBAND....1337
POLLWRNORM....1337
POLL_....468
popen( )....**1341**
portability....**453**
POSIX....726
POSIX.1 symbols....463
POSIX_....465

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

posix_ 465
POSIX_ALLOC_SIZE_MIN 856
posix_fadvise( ) **1344**
POSIX_FADV_DONTNEED 1344
POSIX_FADV_NOREUSE 1344
POSIX_FADV_NORMAL 1344
POSIX_FADV_RANDOM 1344
POSIX_FADV_SEQUENTIAL 1344
POSIX_FADV_WILLNEED 1344
posix_fallocate( ) **1346**
posix_madvise( ) **1348**
POSIX_MADV_DONTNEED 1348
POSIX_MADV_NORMAL 1348
POSIX_MADV_RANDOM 1348
POSIX_MADV_SEQUENTIAL 1348
POSIX_MADV_WILLNEED 1348
posix_memalign( ) **1352**
posix_mem_offset( ) **1350**
posix_openpt( ) **1353**
POSIX_REC_INCR_XFER_SIZE 856
POSIX_REC_MAX_XFER_SIZE 856
POSIX_REC_MIN_XFER_SIZE 856
POSIX_REC_XFER_ALIGN 856
posix_spawn( ) **1355**
posix_spawnattr_destroy( ) **1371**
posix_spawnattr_getflags( ) **1373**
posix_spawnattr_getpgroup( ) **1375**
posix_spawnattr_getschedparam( ) **1377**
posix_spawnattr_getschedpolicy( ) **1379**
posix_spawnattr_getsigdefault( ) **1381**
posix_spawnattr_getsigmask( ) **1383**
posix_spawnattr_init 1371
posix_spawnattr_init( ) **1385**
posix_spawnattr_setflags 1373
posix_spawnattr_setflags( ) **1386**
posix_spawnattr_setpgroup 1375
posix_spawnattr_setpgroup( ) **1387**
posix_spawnattr_setschedparam 1377
posix_spawnattr_setschedparam( ) **1388**
posix_spawnattr_setschedpolicy 1379
posix_spawnattr_setschedpolicy( ) **1389**
posix_spawnattr_setsigdefault 1381
posix_spawnattr_setsigdefault( ) **1390**
posix_spawnattr_setsigmask 1383
posix_spawnattr_setsigmask( ) **1391**
posix_spawnp 1355
posix_spawnp( ) **1392**
posix_spawn_file_actions_addclose( ) **1363**
posix_spawn_file_actions_adddup2( ) **1366**
posix_spawn_file_actions_addopen 1363
posix_spawn_file_actions_addopen( ) **1368**
posix_spawn_file_actions_destroy( ) **1369**
posix_spawn_file_actions_init 1369
posix_spawn_file_actions_init( ) **1370**
POSIX_SPAWN_RESETIDS 1356, 1373
POSIX_SPAWN_SETPGROUP 1356, 1373
POSIX_SPAWN_SETSCHEDPARAM 1373
POSIX_SPAWN_SETSCHEDULER 1356, 1373
POSIX_SPAWN_SETSIGDEF 1373
POSIX_SPAWN_SETSIGMASK 1373
POSIX_TRACE_ADD_EVENTSET 1438
POSIX_TRACE_ALL_EVENTS 1432
POSIX_TRACE_APPEND 1400, 1424
posix_trace_attr_destroy( ) **1393**
posix_trace_attr_getclockres( ) **1395**
posix_trace_attr_getcreatetime 1395
posix_trace_attr_getcreatetime( ) **1397**
posix_trace_attr_getgenversion 1395
posix_trace_attr_getgenversion( ) **1398**
posix_trace_attr_getinherited( ) **1399**
posix_trace_attr_getlogfullpolicy 1399
posix_trace_attr_getlogfullpolicy( ) **1402**
posix_trace_attr_getlogsize( ) **1403**
posix_trace_attr_getmaxdatasize 1403
posix_trace_attr_getmaxdatasize( ) **1406**
posix_trace_attr_getmaxsystemeventsize 1403
....1406
posix_trace_attr_getmaxusereventsize 1403
....1406
posix_trace_attr_getname 1395
posix_trace_attr_getname( ) **1407**
posix_trace_attr_getstreamfullpolicy 1399
posix_trace_attr_getstreamfullpolicy( ) **1408**
posix_trace_attr_getstreamsize 1403
posix_trace_attr_getstreamsize( ) **1409**
posix_trace_attr_init 1393
posix_trace_attr_init( ) **1410**
posix_trace_attr_setinherited 1399
posix_trace_attr_setinherited( ) **1411**
posix_trace_attr_setlogfullpolicy 1399
posix_trace_attr_setlogfullpolicy( ) **1412**
posix_trace_attr_setlogsize 1403
posix_trace_attr_setlogsize( ) **1413**
posix_trace_attr_setmaxdatasize 1403
posix_trace_attr_setmaxdatasize( ) **1414**
posix_trace_attr_setname 1395
posix_trace_attr_setname( ) **1415**
posix_trace_attr_setstreamfullpolicy 1399
posix_trace_attr_setstreamfullpolicy( ) **1416**
posix_trace_attr_setstreamsize 1403
posix_trace_attr_setstreamsize( ) **1417**
posix_trace_clear( ) **1418**

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

posix_trace_close( ) **1420**
POSIX_TRACE_CLOSE_FOR_CHILD 1399
posix_trace_create( ) **1422**
posix_trace_create_withlog 1422
POSIX_TRACE_ERROR trace event 527
posix_trace_event( ) **1426**
posix_trace_eventid_equal( ) **1428**
posix_trace_eventid_get_name 1428
posix_trace_eventid_get_name( ) **1430**
posix_trace_eventid_open 1426
posix_trace_eventid_open( ) **1431**
posix_trace_eventset_add( ) **1432**
posix_trace_eventset_del 1432
posix_trace_eventset_empty 1432
posix_trace_eventset_fill 1432
posix_trace_eventset_ismember 1432
posix_trace_eventtypelist_getnext_id( ) **1434**
posix_trace_eventtypelist_rewind 1434
posix_trace_event_info structure 524
POSIX_TRACE_FILTER trace event 527, 1438
POSIX_TRACE_FLUSH 1400
posix_trace_flush 1422
posix_trace_flush( ) **1435**
POSIX_TRACE_FLUSHING 523
POSIX_TRACE_FULL 522-524
posix_trace_getnext_event( ) **1441**
posix_trace_get_attr( ) **1436**
posix_trace_get_filter( ) **1438**
posix_trace_get_status 1436
posix_trace_get_status( ) **1440**
POSIX_TRACE_INHERITED 1399
POSIX_TRACE_LOOP 522, 1399-1400, 1424
POSIX_TRACE_NOT_FLUSHING 523
POSIX_TRACE_NOT_FULL 522, 524
POSIX_TRACE_NOT_FULL 1418
POSIX_TRACE_NOT_TRUNCATED 525, 1442
POSIX_TRACE_NO_OVERRUN 523-524, 1436
posix_trace_open 1420
posix_trace_open( ) **1444**
POSIX_TRACE_OVERFLOW trace event 527
POSIX_TRACE_OVERRUN 523-524
POSIX_TRACE_RESUME trace event 527
posix_trace_rewind 1420
posix_trace_rewind( ) **1445**
POSIX_TRACE_RUNNING 522, 1448
POSIX_TRACE_SET_EVENTSET 1438
posix_trace_set_filter 1438
posix_trace_set_filter( ) **1446**
posix_trace_shutdown 1422
posix_trace_shutdown( ) **1447**
POSIX_TRACE_START trace event 527, 1448
posix_trace_start( ) **1448**
posix_trace_status_info structure 521
posix_trace_stop 1448
POSIX_TRACE_STOP trace event 527, 1448
POSIX_TRACE_SUB_EVENTSET 1438
POSIX_TRACE_SUSPENDED 522-523, 1448
POSIX_TRACE_SYSTEM_EVENTS 1432
posix_trace_timedgetnext_event 1441
posix_trace_timedgetnext_event( ) **1450**
posix_trace_trid_eventid_open 1428
posix_trace_trid_eventid_open( ) **1451**
POSIX_TRACE_TRUNCATED_READ 525, 1442
POSIX_TRACE_TRUNCATED_RECORD 525
....1442
posix_trace_trygetnext_event 1441
posix_trace_trygetnext_event( ) **1452**
POSIX_TRACE_UNTIL_FULL 523
....1399-1400, 1424
POSIX_TRACE_USER_EVENT_MAX 1426
POSIX_TRACE_WOPID_EVENTS 1432
POSIX_TYPED_MEM_ALLOCATE 1251-1252
....1350, 1453, 1455
POSIX_TYPED_MEM_ALLOCATE_CONTIG ....
....1251-1252, 1350, 1453, 1455
posix_typed_mem_get_info( ) **1453**
POSIX_TYPED_MEM_MAP_ALLOCATABLE 1297
....1455
posix_typed_mem_open( ) **1455**
pow( ) **1458**
powf 1458
powl 1458
pread 1666
pread( ) **1461**
predefined stream
standard error 487
standard input 487
standard output 487
preempted thread 1528
PRI 468
printf 861
printf( ) **1462**
priority 488
PRIO_ 468
PRIO_INHERIT 1579
PRIO_PGRP 1002
PRIO_PROCESS 1002
PRIO_USER 1002
process
concurrent execution 853
setting real and effective user IDs 1807
single-threaded 853

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

process creation 853
process group
orphaned 767
process group ID....998, 1799, 1811
process ID, 1....767
process lifetime 1146
process scheduling 494
process shared memory 1583
process synchronization 1583
process termination....766
PROT_....466, 468
PROT_EXEC....1251, 1260
PROT_NONE 494, 1251, 1260
PROT_READ....1251, 1260
PROT_WRITE....1251, 1253, 1255, 1260
PS **457**
pselect( )....**1463**
pseudo-random sequence generation functions....
....1663
PTHREAD_....466
pthread_atfork( )....**1468**
pthread_attr_destroy( ) **1470**
pthread_attr_getdetachstate( )....**1473**
pthread_attr_getguardsize( )....**1475**
pthread_attr_getinheritsched( )....**1477**
pthread_attr_getschedparam( )....**1479**
pthread_attr_getschedpolicy( )....**1481**
pthread_attr_getscope( ) **1483**
pthread_attr_getstack( ) **1485**
pthread_attr_getstackaddr( ) **1487**
pthread_attr_getstacksize( )....**1489**
pthread_attr_init....1470
pthread_attr_init( ) **1490**
pthread_attr_setdetachstate....1473
pthread_attr_setdetachstate( ) **1491**
pthread_attr_setguardsize....1475
pthread_attr_setguardsize( ) **1492**
pthread_attr_setinheritsched....1477
pthread_attr_setinheritsched( ) **1493**
pthread_attr_setschedparam 1479
pthread_attr_setschedparam( )....**1494**
pthread_attr_setschedpolicy....1481
pthread_attr_setschedpolicy( ) **1495**
pthread_attr_setscope 1483
pthread_attr_setscope( )....**1496**
pthread_attr_setstack 1485
pthread_attr_setstack( )....**1497**
pthread_attr_setstackaddr 1487
pthread_attr_setstackaddr( )....**1498**
pthread_attr_setstacksize 1489
pthread_attr_setstacksize( )....**1499**
pthread_barrierattr_destroy( )....**1505**
pthread_barrierattr_getpshared( ) **1507**
pthread_barrierattr_init 1505
pthread_barrierattr_init( )....**1509**
pthread_barrierattr_setpshared 1507
pthread_barrierattr_setpshared( )....**1510**
pthread_barrier_destroy( )....**1500**
pthread_barrier_init....1500
pthread_barrier_init( ) **1502**
PTHREAD_BARRIER_SERIAL_THREAD 1503
pthread_barrier_wait( ) **1503**
pthread_cancel( ) **1511**
PTHREAD_CANCELED....507, 1548
PTHREAD_CANCEL_ASYNCHRONOUS 504
....1624
PTHREAD_CANCEL_DEFERRED 504
....1526, 1624
PTHREAD_CANCEL_DISABLE....504, 1624
PTHREAD_CANCEL_ENABLE....504, 1624
pthread_cleanup_pop( )....**1513**
pthread_cleanup_push....1513
pthread_condattr_destroy( ) **1532**
pthread_condattr_getclock( )....**1534**
pthread_condattr_getpshared( )....**1536**
pthread_condattr_init....1532
pthread_condattr_init( )....**1538**
pthread_condattr_setclock....1534
pthread_condattr_setclock( ) **1539**
pthread_condattr_setpshared....1536
pthread_condattr_setpshared( ) **1540**
pthread_cond_broadcast( )....**1518**
pthread_cond_destroy( )....**1521**
pthread_cond_init 1521
pthread_cond_init( )....**1524**
PTHREAD_COND_INITIALIZER....1521, 1524
pthread_cond_signal 1518
pthread_cond_signal( )....**1525**
pthread_cond_timedwait( )....**1526**
pthread_cond_wait 1526
pthread_cond_wait( )....**1531**
pthread_create( )....**1541**
PTHREAD_CREATE_DETACHED....480, 1473
PTHREAD_CREATE_JOINABLE ..480, 1473, 1558
PTHREAD_DESTRUCTOR_ITERATIONS 1555
....1560, 1972
pthread_detach( )....**1544**
pthread_equal( )....**1546**
pthread_exit( ) **1547**
PTHREAD_EXPLICIT_SCHED 1477
pthread_getconcurrency( ) **1549**
pthread_getcpuclockid( )....**1551**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

pthread_getschedparam( ).....**1552**
pthread_getspecific( ) **1555**
PTHREAD_INHERIT_SCHED 1477
pthread_join( ).....**1557**
PTHREAD_KEYS_MAX.....1560, 1972
pthread_key_create( ) **1560**
pthread_key_delete( ) **1564**
pthread_kill( ) **1566**
pthread_mutexattr_destroy( ).....**1582**
pthread_mutexattr_getprioceiling( ).....**1587**
pthread_mutexattr_getprotocol( ) **1589**
pthread_mutexattr_getpshared( ).....**1591**
pthread_mutexattr_gettype( ).....**1593**
pthread_mutexattr_init.....1582
pthread_mutexattr_init( ) **1595**
pthread_mutexattr_setprioceiling 1587
pthread_mutexattr_setprioceiling( ).....**1596**
pthread_mutexattr_setprotocol 1589
pthread_mutexattr_setprotocol( ).....**1597**
pthread_mutexattr_setpshared 1591
pthread_mutexattr_setpshared( ) **1598**
pthread_mutexattr_settype.....1593
pthread_mutexattr_settype( ) **1599**
PTHREAD_MUTEX_DEFAULT 1575, 1593
pthread_mutex_destroy( ) **1567**
PTHREAD_MUTEX_ERRORCHECK...1575, 1593
pthread_mutex_getprioceiling( ).....**1572**
pthread_mutex_init 1567
pthread_mutex_init( ).....**1574**
PTHREAD_MUTEX_INITIALIZER.....1567, 1574
pthread_mutex_lock( ) **1575**
PTHREAD_MUTEX_NORMAL 1575, 1593
PTHREAD_MUTEX_RECURSIVE1575, 1593-1594
pthread_mutex_setprioceiling.....1572
pthread_mutex_setprioceiling( ).....**1578**
pthread_mutex_timedlock( ).....**1579**
pthread_mutex_trylock.....1575
pthread_mutex_trylock( ).....**1581**
pthread_mutex_unlock.....1575, 1581
pthread_once( ) **1600**
PTHREAD_ONCE_INIT 1600
PTHREAD_PRIO_INHERIT.....1589
PTHREAD_PRIO_NONE.....1589
PTHREAD_PRIO_PROTECT.....1576, 1589
PTHREAD_PROCESS_PRIVATE 1507, 1536
.....1583, 1591, 1619, 1633
PTHREAD_PROCESS_SHARED 1507, 1536
.....1583, 1591, 1619, 1633
pthread_rwlockattr_destroy( ).....**1617**
pthread_rwlockattr_getpshared( ).....**1619**
pthread_rwlockattr_init.....1617
pthread_rwlockattr_init( ) **1621**
pthread_rwlockattr_setpshared 1619
pthread_rwlockattr_setpshared( ) **1622**
pthread_rwlock_destroy( ).....**1602**
pthread_rwlock_init 1602
pthread_rwlock_init( ).....**1604**
pthread_rwlock_rdlock( ) **1605**
pthread_rwlock_timedrdlock( ) **1607**
pthread_rwlock_timedwrlock( ) **1609**
pthread_rwlock_tryrdlock 1605
pthread_rwlock_tryrdlock( ).....**1611**
pthread_rwlock_trywrlock( ).....**1612**
pthread_rwlock_unlock( ) **1614**
pthread_rwlock_wrlock.....1612
pthread_rwlock_wrlock( ) **1616**
PTHREAD_SCOPE_PROCESS.....502-503, 1483
PTHREAD_SCOPE_SYSTEM.....502-503, 1483
pthread_self( ).....**1623**
pthread_setcancelstate( ).....**1624**
pthread_setcanceltype.....1624
pthread_setconcurrency 1549
pthread_setconcurrency( ).....**1626**
pthread_setschedparam.....1552
pthread_setschedparam( ) **1627**
pthread_setschedprio( ).....**1628**
pthread_setspecific 1555
pthread_setspecific( ).....**1630**
pthread_sigmask( ).....**1631**
pthread_spin_destroy( ).....**1633**
pthread_spin_init 1633
pthread_spin_init( ).....**1635**
pthread_spin_lock( ) **1636**
pthread_spin_trylock 1636
pthread_spin_trylock( ).....**1638**
pthread_spin_unlock( ) **1639**
PTHREAD_STACK_MIN 1485, 1487, 1489, 1972
pthread_testcancel 1624
pthread_testcancel( ).....**1640**
PTHREAD_THREADS_MAX 1541, 1972
ptsname( ).....**1641**
putc( ) **1642**
putchar( ) **1644**
putchar_unlocked.....944
putchar_unlocked( ).....**1645**
putc_unlocked.....944
putc_unlocked( ).....**1643**
putenv( ) **1646**
putmsg( ) **1648**
putpmsg 1648
putpmsg( ).....**1652**
puts( ) **1653**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

pututxline 742
pututxline( ) **1655**
putwc( ) **1656**
putwchar( ) **1657**
pwrite 2157
pwrite( ) **1658**
P_ALL 2094
P_PGID 2094
P_PID 2094
qsort( ) **1659**
queue a signal to a process 1865
raise( ) **1660**
rand( ) **1662**
random 1075
random( ) **1665**
RAND_MAX 1662
rand_r 1662
read from a file 1669
read( ) **1666**
readdir( ) **1673**
readdir_r 1673
readlink( ) **1677**
readv( ) **1680**
real user ID 548, 1145
realloc( ) **1682**
realpath( ) **1684**
REALTIME 556, 558-559, 561, 564-565
..... 567, 653, 659, 794, 1162, 1247, 1249
..... 1262-1263, 1265, 1267, 1270, 1273, 1275
..... 1279, 1300, 1728-1732, 1735, 1743-1746
..... 1748, 1751, 1755, 1757, 1759, 1823, 1827
..... 1864, 1872, 1878, 2019, 2022-2023
REALTIME THREADS 1477, 1481, 1483, 1493
..... 1495-1496, 1552, 1572, 1578, 1587, 1589
..... 1596-1597, 1627
recv( ) **1686**
recvfrom( ) **1688**
recvmsg( ) **1691**
regcomp( ) **1694**
regerror 1694
regexec 1694
regfree 1694
register fork handlers 1468
REG_ 468
REG_ constants
error return values of regcomp 1696
used in regcomp 1694
REG_BADBR 1696
REG_BADPAT 1696
REG_BADRPT 1696
REG_EBRACE 1696
REG_EBRACK 1696
REG_ECOLLATE 1696
REG_ECTYPE 1696
REG_EESCAPE 1696
REG_EPAREN 1696
REG_ERANGE 1696
REG_ESPACE 1696
REG_ESUBREG 1696
REG_EXTENDED 1694
REG_ICASE 1694
REG_NEWLINE 1694
REG_NOMATCH 1696
REG_NOSUB 1694
REG_NOTBOL 1695
REG_NOTEOL 1695
remainder( ) **1701**
remainderf 1701
remainderl 1701
remove a directory 1718
remove directory entries 2063
remove( ) **1703**
remque 1077
remque( ) **1705**
remquo( ) **1706**
remquof 1706
remquol 1706
rename a file 1710
rename( ) **1708**
rewind( ) **1712**
rewinddir( ) **1713**
RE_DUP_MAX 1972
rindex( ) **1714**
rint( ) **1715**
RLIMIT_ 468
RLIMIT_AS 1016
RLIMIT_CORE 1015
RLIMIT_CPU 1015
RLIMIT_DATA 1015
RLIMIT_FSIZE 1015
RLIMIT_NOFILE 1015, 1017
RLIMIT_STACK 1015
RLIM_ 468
RLIM_INFINITY 1015-1016
RLIM_SAVED_CUR 1016
RLIM_SAVED_MAX 1016
rmdir( ) **1717**
RMSGD 1083
RMSGN 1083
RNORM 1083
round robin 496
round( ) **1720**

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

roundf 1720
roundl....1720
routing 509
RPROTDAT 1083
RPROTDIS 1083
RPROTNORM....1083
RS **457**
RS_HIPRI....982, 1082, 1648
RTLD_GLOBAL 712, 716-717, 720
RTLD_LAZY 716, 719
RTLD_LOCAL 717
RTLD_NEXT....719-720
RTLD_NOW 716-717
RTS....**457**
RTSIG_MAX....1972
RUSAGE_....468
RUSAGE_CHILDREN 1018
RUSAGE_SELF 1018
SA_....468
SA_NOCLDSTOP....481, 1838-1839, 1842
SA_NOCLDWAIT....764-765, 1018, 1840, 2088
SA_NODEFER 1840
SA_ONSTACK....755, 1839
SA_RESETHAND 601, 1839-1840
SA_RESTART....601, 1466, 1839, 1854
SA_SIGINFO....1838-1839, 1842, 1864
scalb( ) **1722**
scalbln( )....**1724**
scalblnf....1724
scalblnl....1724
scalbn 1724
scalbn( )....**1726**
scalbnf....1724, 1726
scalbnl....1724, 1726
scanf....892
scanf( )....**1727**
schedule alarm 570
scheduling documentation....504
scheduling policy
  round robin....496
SCHED_....466
SCHED_FIFO 492, 495, 503, 756, 851
  ....1002, 1310, 1479, 1481, 1552, 1587
  ....1605, 1733, 1751
sched_getparam( )....**1729**
sched_getscheduler( )....**1730**
sched_get_priority_max( )....**1728**
sched_get_priority_min 1728
SCHED_OTHER 495, 498, 1481, 1552, 1733
SCHED_RR 492, 495-496, 503, 756, 851
  ....1002, 1310, 1479, 1481, 1552, 1605
  ....1733, 1751
sched_rr_get_interval( ) **1731**
sched_setparam( )....**1732**
sched_setscheduler( )....**1735**
SCHED_SPORADIC492, 495, 497, 1605, 1733, 1751
sched_yield( )....**1738**
SCM_....468
SCN 468
SD....**457**
security considerations ..647, 766, 1145, 1799, 1901
seed48....721
seed48( )....**1739**
seekdir( )....**1740**
SEEK_CUR 787, 899, 1205
SEEK_END 787, 899, 1205
SEEK_GET 1712
SEEK_SET....492, 561, 567, 787, 899, 1205
SEGV_....468
select....1463
select( )....**1742**
SEM....**457**
semctl( )....**1760**
semget( )....**1763**
semid 490
semop( )....**1766**
SEM_ 466, 468
sem_close( )....**1743**
sem_destroy( )....**1744**
SEM_FAILED 1749
sem_getvalue( )....**1745**
sem_init( )....**1746**
SEM_NSEMS_MAX....1746, 1972
sem_open( )....**1748**
sem_perm....490
sem_post( )....**1751**
sem_timedwait( )....**1753**
sem_trywait( )....**1755**
SEM_UNDO 1766
sem_unlink( )....**1757**
SEM_VALUE_MAX....1748, 1972
 1746
sem_wait 1755
sem_wait( )....**1759**
send( )....**1771**
sendmsg( )....**1773**
sendto( )....**1776**
service name 883
session....767, 1145, 1799, 1811
set cancelability state 1624
set file creation mask 2054
set process group ID for job control 1799

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

set-group-ID 645, 761, 766, 791
set-user-ID.....761, 766, 951, 1145
SETALL 1760, 1763
setbuf( ).....**1779**
setcontext 948
setcontext( ).....**1780**
setegid( ).....**1781**
setenv( ).....**1782**
seteuid( ).....**1784**
setgid( ).....**1785**
setgrent 730
setgrent( ).....**1787**
sethostent 732
sethostent( ).....**1788**
setitimer.....977
setitimer( ).....**1789**
setjmp( ).....**1790**
setkey( ).....**1792**
setlocale( ).....**1793**
setlogmask 666
setlogmask( ).....**1797**
setnetent 734
setnetent( ).....**1798**
setpgid( ).....**1799**
setpgrp( ).....**1801**
setpriority.....1002
setpriority( ).....**1802**
setprotoent 736
setprotoent( ).....**1803**
setpwent 738
setpwent( ).....**1804**
setregid( ).....**1805**
setreuid( ).....**1807**
setrlimit.....1015
setrlimit( ).....**1809**
setservent 740
setservent( ).....**1810**
setsid( ).....**1811**
setsockopt( ).....**1813**
setstate 1075
setstate( ).....**1816**
setuid( ).....**1817**
setutxent 742
setutxent( ).....**1820**
SETVAL.....1760, 1763
setvbuf( ).....**1821**
shall 452
shell 760, 767, 980, 998, 1145, 1800, 2091
  job **1145**
  login.....980
shell scripts
  exec.....760
shell, login 760
SHM **457**, 468
shmat( ).....**1829**
shmctl( ).....**1831**
shmdt( ).....**1833**
shmget( ).....**1834**
shmid.....490
SHMLBA 1829
SHM_ 468
shm_open( ).....**1823**
shm_perm 490
SHM_RDONLY.....1829
SHM_RND.....1829
shm_unlink( ).....**1827**
should 452
shutdown( ).....**1836**
SHUT_.....468
SIGABRT 543
sigaction( ).....**1838**
sigaddset( ).....**1844**
SIGALRM 570, 977, 1885, 2050, 2067
sigaltstack( ).....**1845**
SIGBUS 494, 1253, 1256, 1631
SIGCANCEL.....1511
SIGCHLD.....667, 764-765, 1018, 1045, 1839
  .....1842, 1851, 1977, 2088, 2094
SIGCLD.....1842
SIGCONT 484, 765, 767, 1144-1145
sigdelset( ).....**1847**
sigemptyset( ).....**1848**
SIGEV_.....466
SIGEV_NONE.....479, 492
SIGEV_SIGNAL 479, 2019
SIGEV_THREAD 479-480
sigfillset( ).....**1850**
SIGFPE.....1631, 1858
sighold( ).....**1851**
SIGHUP.....661, 765, 767
sigignore 1851
sigignore( ).....**1853**
SIGILL 1631, 1858
SIGINT 853, 1977
siginterrupt( ).....**1854**
sigismember( ).....**1856**
SIGKILL.....1145, 1838, 1842, 1851
siglongjmp( ).....**1857**
signal generation and delivery 478
  realtime.....479
signal handler.....1858

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

signal( ).....**1858**
signaling a condition 1519
signals 478
signbit( ).....**1860**
sigpause.....1851
sigpause( ) **1861**
sigpending( ).....**1862**
SIGPIPE 784, 817, 873, 877, 900, 903, 1649, 2160
SIGPOLL 661, 1081-1082
sigprocmask.....1631
sigprocmask( ).....**1863**
SIGPROF 977
sigqueue( ).....**1864**
SIGQUEUE_MAX 1864, 1972
SIGQUIT.....1977
sigrelse 1851
sigrelse( ).....**1866**
SIGRTMAX 479-480, 1864, 1872, 1876
SIGRTMIN 479-480, 1864, 1872, 1876
SIGSEGV.....494, 1016, 1297, 1631, 1858
sigset.....1851
sigset( ).....**1867**
sigsetjmp( ).....**1868**
SIGSTKSZ 1845
SIGSTOP.....479, 1838, 1842, 1851
sigsuspend( ).....**1870**
sigtimedwait( ) **1872**
SIGTSTP 479
SIGTTIN 479, 821, 827, 1668
SIGTTOU 479, 784, 817, 873, 877, 900
.....902, 1988, 1990, 1992, 1999, 2002, 2160
SIGURG.....1082
SIGVTALRM.....977
sigwait( ).....**1876**
sigwaitinfo 1872
sigwaitinfo( ).....**1878**
SIGXCPU.....1015
SIGXFSZ.....1015, 2040
SIG_ 466, 468
SIG_BLOCK.....1631
SIG_DFL 480, 755, 1016, 1838, 1840, 1858
SIG_ERR.....601, 1858
SIG_HOLD.....1851
SIG_IGN 480-481, 755, 761, 764-765
.....1018, 1838, 1858, 2088
SIG_SETMASK.....1631
SIG_UNBLOCK 1631
sin( ) **1879**
sinf 1879
sinf( ).....**1881**
sinh( ).....**1882**
sinhf 1882
sinhl 1882
sinl 1879
sinl( ).....**1884**
SIO **457**
SI_ 468
SI_ASYNCIO 482
SI_MESGQ 482
SI_QUEUE.....482
SI_TIMER 482
SI_USER.....482
sleep( ).....**1885**
SND 468
SNDZERO.....1085
snprintf 861
snprintf( ).....**1887**
SO.....468
socket I/O mode.....510
socket out-of-band data 511
socket owner.....510
socket queue limits.....510
socket receive queue 511
socket types 509
socket( ).....**1888**
socketpair( ) **1890**
sockets.....508
addressing.....509
asynchronous errors 512
connection indication queue.....512
Internet Protocols 516
IPv4.....517
IPv6.....517
local UNIX connections 516
options 513
pending error.....510
signals 512
SOCK_.....468
SOCK_DGRAM 516, 1888, 1890
SOCK_RAW.....516
SOCK_SEQPACKET 516, 1888, 1890
SOCK_STREAM.....516, 1888, 1890
SPI **458**
SPN **458**
sporadic server policy
execution capacity.....497
replenishment period 497
sprintf.....861
sprintf( ) **1892**
spurious wakeup 1519
sqrt( ) **1893**
sqrtf.....1893

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

sqrtl....1893
srand....1662
srand( )....**1895**
srand48....721
srand48( )....**1896**
srandom....1075
srandom( )....**1897**
SS....**458**
sscanf....892
sscanf( )....**1898**
SSIZE_MAX....1270, 1286, 1666, 1677, 1920, 2157
SS_....468
SS_DISABLE....1845-1846
SS_ONSTACK....1845
stack size....1470
stat( )....**1899**
statvfs....906
statvfs( )....**1903**
stderr....1904
STDERR_FILENO....1904
stdin....**1904**
STDIN_FILENO....1341, 1904
stdio locking functions....832
stdio with explicit client locking....944
stdout....1904
STDOUT_FILENO....1341, 1904
STR....468
strcasecmp( )....**1906**
strcat( )....**1907**
strchr( )....**1908**
strcmp( )....**1909**
strcoll( )....**1911**
strcpy( )....**1913**
strcspn( )....**1915**
strdup( )....**1916**
STREAM....1084, 1086, 1648, 1652, 1667, 2159
stream
  byte-oriented....486
  wide-oriented....486
STREAM head / tail....**488**
stream-full-policy attribute....522-523, 526, 1400
stream-min-size attribute....526, 1404
streams....484
STREAMS....472, 661, 776, 795, 982, 1080
  ....1095, 1319-1320, 1337, 1463
  access....489
streams
  interaction with file descriptors....485
STREAMS
  multiplexed....1088
  overview....488
streams
  stream orientation....486
STREAM_MAX....799, 848, 1341, 1972
strerror( )....**1917**
strerror_r....1917
strfmon( )....**1919**
strftime( )....**1924**
strlen( )....**1929**
strncasecmp....1906
strncasecmp( )....**1931**
strncat( )....**1932**
strncmp( )....**1933**
strncpy( )....**1934**
strpbrk( )....**1935**
strptime( )....**1936**
strrchr( )....**1940**
strspn( )....**1941**
strstr( )....**1942**
strtod( )....**1943**
strtof....1943
strtof( )....**1947**
strtoimax( )....**1948**
strtok( )....**1949**
strtok_r....1949
strtol( )....**1952**
strtold....1943
strtold( )....**1954**
strtoll....1952
strtoll( )....**1955**
strtoul( )....**1956**
strtoull....1956
strtoumax....1948
strtoumax( )....**1959**
strxfrm( )....**1960**
ST_NOSUID....755, 906
ST_RDONLY....906
superuser....548, 647, 1161, 2063
supplementary groups....647, 969
SVID....1868
SVR4....1255, 1300
SV_....468
swab( )....**1962**
swapcontext....1209
swapcontext( )....**1963**
swprintf....925
swprintf( )....**1964**
swscanf....934
swscanf( )....**1965**
symbols
  POSIX.1....463
symlink( )....**1966**

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

SYMLINK_MAX 856, 1966
SYMLOOP_MAX 600, 676, 777, 795, 848
.....888, 907, 915, 921, 1150, 1239, 1308
.....1684, 1775, 1778, 1972, 2041, 2071
sync( ) **1968**
synchronously accept a signal 1873
sysconf( ) **1969**
syslog 666
syslog( ) **1976**
system crash 909
System III 647, 2056
system interfaces 533
system name 2056
system trace event type definitions 526
System V 570, 647, 762, 767, 789-790
.....858, 998, 1145, 1233, 1718, 1811, 1842
.....1868, 1994, 2056
system( ) **1977**
S_ 468
S_BANDURG 1082
S_ERROR 1081
S_HANGUP 1082
S_HIPRI 1081
S_IFBLK 1238
S_IFCHR 1238
S_IFDIR 1238
S_IFIFO 1238
S_IFREG 1238
S_INPUT 1081
S_IRGRP 780, 904, 1238
S_IROTH 780, 904, 1238
S_IRUSR 780, 904, 1238
S_IRWXG 1238
S_IRWXO 1238
S_IRWXU 1238
S_ISGID 643-645, 1238, 2040, 2158
S_ISUID 643-644, 1238, 2040, 2158
S_ISVTX 643, 1238, 1709, 1718, 2061
S_IWGRP 780, 904, 1238
S_IWOTH 780, 904, 1238
S_IWUSR 780, 904, 1238
S_IXGRP 1238
S_IXOTH 1238
S_IXUSR 1238
S_MSG 1081
S_OUTPUT 1081
S_RDBAND 1081-1082
S_RDNORM 1081
S_WRBAND 1081
S_WRNORM 1081
TABSIZE 603, 1203
tan( ) **1982**
tanf 1982
tanf( ) **1984**
tanh( ) **1985**
tanhf 1985
tanhl 1985
tanl 1982
tanl( ) **1987**
tcdrain( ) **1988**
tcflow( ) **1990**
tcflush( ) **1992**
tcgetattr( ) **1994**
tcgetpgrp( ) **1996**
tcgetsid( ) **1998**
TCIFLUSH 1992
TCIOFF 1990
TCIOFLUSH 1992
TCION 1990
TCOFLUSH 1992
TCOOFF 1990
TCOON 1990
TCP_ 468
TCSADRAIN 2001
TCSAFLUSH 2001
TCSANOW 2001
tcsendbreak( ) **1999**
tcsetattr( ) **2001**
tcsetpgrp( ) **2004**
TCT **458**
tdelete( ) **2006**
TEF **458**
telldir( ) **2010**
tempnam( ) **2011**
terminal access control 1994, 2002
terminal device name 2044
terminate a process 766
terminology **451**
termios structure 1994
tfind 2006
tfind( ) **2013**
tgamma( ) **2014**
tgammaf 2014
tgammal 2014
THR **458**
thread cancelation
cleanup handlers 507
thread creation 1542
thread creation attributes 1470
thread ID 1546
thread IDs 501
thread mutexes 501

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.

thread scheduling 502
thread termination 1547
thread-safety 500, 832
thread-specific data key creation 1562
thread-specific data key deletion 1564
thread-specific data management 1556
threads 500
  regular file operations 508
time( ) **2016**
timer ID 2021
TIMER_ 467-468
TIMER_ABSTIME 499, 656, 2023
timer_create( ) **2019**
timer_delete( ) **2022**
timer_getoverrun( ) **2023**
timer_gettime 2023
TIMER_MAX 1972
timer_settime 2023
times( ) **2026**
timezone( ) **2028**
TMO **458**
tmpfile( ) **2029**
tmpnam( ) **2031**
TMP_MAX 2011, 2030-2031
TMR **459**
toascii( ) **2033**
tolower( ) **2034**
TOSTOP 784, 817, 873, 877, 900, 902, 2159
toupper( ) **2035**
towctrans( ) **2036**
towlower( ) **2037**
towupper( ) **2038**
TPI **459**
TPP **459**
TPS **459**
trace event, POSIX_TRACE_ERROR 527
trace event, POSIX_TRACE_FILTER 527, 1438
trace event, POSIX_TRACE_OVERFLOW 527
trace event, POSIX_TRACE_RESUME 527
trace event, POSIX_TRACE_START 527, 1448
trace event, POSIX_TRACE_STOP 527, 1448
trace functions 529
trace-name attribute 526, 1395
TRACE_EVENT_NAME_MAX 1426, 1428
TRACE_SYS_MAX 1423
TRACE_USER_EVENT_MAX 1426, 1428
TRACING 1393, 1395, 1397-1399
  ..... 1402-1403, 1406-1412, 1414-1418, 1420
  ..... 1422, 1426, 1428, 1430-1432, 1434-1436
  ..... 1438, 1440-1441, 1444-1448, 1450-1452
TRAP_ 468
TRC **459**
TRI **459**
TRL **459**
trunc( ) **2039**
truncate( ) **2040**
truncation-status attribute 1426
truncf 2039
truncf( ) **2042**
truncl 2039, 2042
TSA **459**
tsearch 2006
tsearch( ) **2043**
TSF **460**
TSH **460**
TSP **460**
TSS **460**
ttyname( ) **2044**
ttyname_r 2044
TTY_NAME_MAX 1972, 2044
twalk 2006
twalk( ) **2046**
TYM **460**
tzname **2047**-2048
TZNAME_MAX 1972
tzset 2048
tzset( ) **2048**
t_uscalar_t 1083
ualarm( ) **2050**
UINT 468
UINT_MAX 570, 1886
ulimit( ) **2052**
ULLONG_MAX 1957
ULONG_MAX 1957, 2132
UL_GETFSIZE 2052
UL_SETFSIZE 2052
umask( ) **2054**
uname( ) **2056**
undefined 452
underlying function 486
ungetc( ) **2058**
ungetwc( ) **2059**
unicast 517
unlink( ) **2061**
unlockpt( ) **2065**
unsetenv( ) **2066**
unspecified 452
UP **460**
US-ASCII 1094
user ID
  real and effective 1807
  setting real and effective 1807

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

user trace event type definitions 529
USER_PROCESS 742-743
usleep( ) **2067**
UTC 2048
utime( ) **2069**
utimes( ) **2071**
va_arg( ) **2073**
va_copy 2073
va_end 2073
va_start 2073
Version 7 ....570, 647, 1145, 2056
vfork( ) **2074**
vfprintf( ) **2076**
vfscanf( ) **2077**
vfwprintf( ) **2078**
vfwscanf( ) **2079**
VISIT 2006, 2046
vprintf 2076
vprintf( ) **2080**
vscanf 2077
vscanf( ) **2081**
vsnprintf 2076
vsnprintf( ) **2082**
vsprintf 2076, 2082
vsscanf 2077
vsscanf( ) **2083**
vswprintf 2078
vswprintf( ) **2084**
vswscanf 2079
vswscanf( ) **2085**
vwprintf 2078
vwprintf( ) **2086**
vwscanf 2079
vwscanf( ) **2087**
wait for process termination 2091
wait for thread termination 1558
wait( ) **2088**
waitid( ) **2094**
waiting on a condition 1527
waitpid 2088
waitpid( ) **2096**
WARNING 843
warning
  OB 456
  OF 456
WCONTINUED 2088, 2094
wcrtomb( ) **2097**
wcscat( ) **2099**
wcschr( ) **2100**
wcscmp( ) **2101**
wcscoll( ) **2102**
wcscpy( ) **2103**
wcscspn( ) **2104**
wcsftime( ) **2105**
wcslen( ) **2107**
wcsncat( ) **2108**
wcsncmp( ) **2109**
wcsncpy( ) **2110**
wcspbrk( ) **2111**
wcsrchr( ) **2112**
wcsrtombs( ) **2113**
wcsspn( ) **2115**
wcsstr( ) **2116**
wcstod( ) **2117**
wcstof 2117
wcstof( ) **2120**
wcstoimax( ) **2121**
wcstok( ) **2122**
wcstol( ) **2124**
wcstold 2117
wcstold( ) **2127**
wcstoll 2124
wcstoll( ) **2128**
wcstombs( ) **2129**
wcstoul( ) **2131**
wcstoull( ) **2134**
wcstoumax 2121
wcstoumax( ) **2135**
wcswcs( ) **2136**
wcswidth( ) **2137**
wcsxfrm( ) **2138**
wctob( ) **2140**
wctomb( ) **2141**
wctrans( ) **2143**
wctype( ) **2144**
wcwidth( ) **2146**
WEOF 532, 1117, 1119, 1122, 1124
....1126-1127, 1129, 1131, 1133, 1135
....1137, 1139, 2037-2038, 2059
WEXITED 2094
WEXITSTATUS 2089
wide-oriented stream 486
WIFCONTINUED 2089
WIFEXITED 2089
WIFSIGNALED 2089
WIFSTOPPED 2089, 2092
wmemchr( ) **2147**
wmemcmp( ) **2148**
wmemcpy( ) **2149**
wmemmove( ) **2150**
wmemset( ) **2151**
WNOHANG 1842, 2088, 2094

Copyright (c) 2001 IEEE and The Open Group.

This is an unapproved IEEE Standards Draft, subject to change.

WNOWAIT 2094
wordexp( ) **2152**
wordfree 2152
wprintf 925
wprintf( ) **2156**
WRDE_ 468
WRDE_APPEND 2153
WRDE_BADCHAR 2154
WRDE_BADVAL 2154
WRDE_CMDSUB 2154
WRDE_DOOFFS 2153
WRDE_NOCMD 2153
WRDE_NOSPACE 2154
WRDE_REUSE 2153
WRDE_SHOWERR 2153
WRDE_SYNTAX 2154
WRDE_UNDEF 2153
write to a file 2161
write( ) **2157**
writev( ) **2165**
wscanf 934
wscanf( ) **2167**
WSTOPPED 2094
WSTOPSIG 2089
WTERMSIG 2089
WUNTRACED 2088, 2091
XSI **460**
XSI interprocess communication **489**
XSR **461**
X_OK 548
y0( ) **2168**
y1 2168
yn 2168
zombie process 764

Copyright (c) 2001 IEEE and The Open Group.
This is an unapproved IEEE Standards Draft, subject to change.